L Number	Hits	Search Text	DB	Time stamp
1	1534		USPAT;	2003/05/23 10:28
			US-PGPUB; EPO; JPO; DERWENT;	3.25, 03, 23 10.20
2	1755	(717/140-154,162-166; 709/331-332).CCLS.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/23 10:28
-	4699	(@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/05/21 13:24
_	253	717/\$ and ((librar\$3 same link\$) and	EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/05/21 09:06
	200	(object adj file\$1))	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/21 09:06
-	1274	<pre>((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/21 13:57
-	14	<pre>(((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker)) and ((librar\$3 same link\$) and (object adj file\$1))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/21 09:06
_	85	((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)) and (((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 09:06
_	15	717/\$ and (((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)) and (((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 08:44
-	26	((((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker)) and ((librar\$3 same link\$) and (object adj file\$1))) or (717/\$ and (((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)) and (((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 09:07
	22	(((((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker)) and ((librar\$3 same link\$) and (object adj file\$1))) or (717/\$ and (((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)) and (((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker))))) and (@ad<=19991105 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 09:09
-	45	<pre>@rlad<=19991105) (((instance\$1 or template\$1) near2 librar\$3) near8 (created or recreated)) and link\$4</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/21 09:10
-	4	<pre>((((instance\$1 or template\$1) near2 librar\$3) near8 (created or recreated)) and link\$4) and ((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 09:10

_	16	717/\$ and ((((((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker)) and ((librar\$3 same link\$) and (object adj file\$1)) or (717/\$ and (((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3)) and (((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker))))) and (@ad<=19991105 or @rlad<=19991105))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 13:45
-	4	<pre>(reusable or prestored or legacy) adj2 ((library or libraries) adj2 (file\$1 or instance\$1 or template\$1 or component\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 09:21
-	8	<pre>(((((instance\$1 or template\$1) near2 librar\$3) near8 (created or recreated)) and link\$4) and ((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3))) or ((reusable or prestored or legacy) adj2 ((library or libraries) adj2 (file\$1 or instance\$1 or template\$1 or component\$1)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 09:21
-	2035	(@ad<=19991105 or @rlad<=19991105) and (("dynamic linked library" or DLL) and librar\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 09:23
-	8	<pre>((((((instance\$1 or template\$1) near2 librar\$3) near8 (created or recreated)) and link\$4) and ((@ad<=19991105 or @rlad<=19991105) and (link\$4.ab. and librar\$3))) or ((reusable or prestored or legacy) adj2 ((library or libraries) adj2 (file\$1 or instance\$1 or template\$1 or component\$1)))) not ((@ad<=19991105 or @rlad<=19991105) and (("dynamic linked library" or DLL) and librar\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 13:13
-	38	(link\$4 same ((pre-existing or pre-stored or repository or archive or reusable) adj2 librar\$3)) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/21 15:00
-	24	((link\$4 same ((pre-existing or pre-stored or repository or archive or reusable) adj2 librar\$3)) and compil\$4) and (@ad<=19991105 or @rlad<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 15:16
-	16	717/\$ and ((((((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker)) and ((librar\$3 same link\$) and (object adj	USPĀT; US-PGPUB; EPO; JPO;	2003/05/21 13:45
		<pre>file\$1))) or (717/\$ and (((@ad<=19991105) or @rlad<=19991105) and (link\$4.ab. and librar\$3)) and (((instance\$1 or template\$1) near3 librar\$3) and (compiler or linker))))) and (@ad<=19991105 or @rlad<=19991105))</pre>	DERWENT; IBM_TDB	
-	3	<pre>((instance\$1 or template\$1 or reusable) near3 librar\$3) and (("4330822" "5062039" "5369766" "5414854" "5519866" "5613120" "5640558" "5644771" "5659735" "5758160").PN.)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 14:15
_	2	<pre>(selective\$5 near3 (link\$4 or compil\$4)) and ((pre-existing or reusable or prestored or (existing adj2 instance)) adj2 librar\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/22 09:16
-	28	((list or database or heap or storage or library or table) adj2 ("linker symbol name" or "library names" or "library symbols" or "libraries instances")) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/21 15:06

-	201	(pre-existing or pre-stored or reusable or	USPAT;	2003/05/21 15:13
		repository or library) adj3 (object adj	US-PGPUB;	
		(file\$1 or module\$1 or instance\$1 or	EPO; JPO;	
		name\$1))	DERWENT;	
			IBM_TDB	0000/05/01 15 10
-	2	(((pre-existing or pre-stored or reusable	USPAT;	2003/05/21 15:19
		or repository or library) adj3 (object adj (file\$1 or module\$1 or instance\$1 or	US-PGPUB;	:
		name\$1))) and (@ad<=19991105 or	EPO; JPO; DERWENT;	
		@rlad<=19991105)) and ((compiler and	IBM TDB	
		717/\$) and (((instance\$1 or name\$1) near5	100-100	
		match\$4) same link\$4))		
_	1	(linker adj2 (symbol adj name\$1)) and	USPAT;	2003/05/22 08:00
	_	compiler	US-PGPUB;	2003,03,22 00.00
		<u>F</u>	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	9	5835701.URPN.	USPAT	2003/05/22 08:10
_	2	5835701.URPN. and (link\$4 same ((object	USPAT;	2003/05/22 08:15
		adj2 (file\$1 or librar\$3)) or (symbol adj	US-PGPUB;	
		name\$1)))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1410	(link\$4 same ((object adj2 (file\$1 or	USPAT;	2003/05/22 08:18
		librar\$3)) or (symbol adj name\$1)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	247	link\$3 and ((variable or space or	USPAT;	2003/05/22 08:18
		symbol\$1) near3 initializ\$3) and	US-PGPUB;	
		(librar\$3 near8 object))	EPO; JPO;	1
			DERWENT;	
	1325	(compar\$4 or match\$4) near8 ((object or	IBM_TDB USPAT;	2003/05/22 08:22
	1323	instance or librar\$3 or pre-existing or	US-PGPUB;	2003/03/22 08.22
		pre-stored or existing or reusable) near3	EPO; JPO;	
		(name or symbol\$1 or file\$1))	DERWENT;	
		(name of symboly) of fileday,	IBM TDB	
-	229	((initiali\$5 near3 librar\$3) saeme linker)	USPAT;	2003/05/22 08:28
		and (object adj4 (instance\$1 or	US-PGPUB;	
		template\$1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	((initiali\$5 near3 librar\$3) and linker)	USPĀT;	2003/05/22 08:35
		and (object adj4 (instance\$1 or	US-PGPUB;	
		template\$1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	((stor\$4 or catalog\$4 or library or	USPAT;	2003/05/22 08:41
		repository) adj3 (object adj2 (file\$1 or	US-PGPUB;	
		module\$1 or link\$1 or name\$1 or	EPO; JPO;	
	1	instance\$1))) and (need\$2 near4	DERWENT;	
		recreat\$4)	IBM_TDB	2002/05/22 22 :2
-	62		USPAT;	2003/05/22 08:42
		module\$1 or link\$1 or name\$1 or	US-PGPUB;	
		<pre>instance\$1))) and (need\$2 near4 (recreat\$4 or generat\$4))</pre>	EPO; JPO; DERWENT;	
		(recreated or demergedal)	IBM TDB	
	<u> </u>		מטו ווטב	l

_	10	((((reusable same (object adj2 (file\$1 or	USPAT;	2003/05/22 09:42
	1	module\$1 or link\$1 or name\$1 or	US-PGPUB;	
	1	<pre>instance\$1))) and (need\$2 near4</pre>	EPO; JPO;	
]	(recreat\$4 or generat\$4))) and ((link\$4	DERWENT;	
		<pre>same ((object adj2 (file\$1 or librar\$3))</pre>	IBM_TDB	
		or (symbol adj name\$1))))) or (((reusable	_	
		same (object adj2 (file\$1 or module\$1 or		
		<pre>link\$1 or name\$1 or instance\$1))) and (</pre>		
		need\$2 near4 (recreat\$4 or generat\$4)))		
	İ	and (link\$3 and (((variable or space or		
		symbol\$1) near3 initializ\$3) and		
	į	(librar\$3 near8 object)))) or (((reusable		
		same (object adj2 (file\$1 or module\$1 or	İ	
		<pre>link\$1 or name\$1 or instance\$1))) and (</pre>		
		<pre>need\$2 near4 (recreat\$4 or generat\$4)))</pre>		
		and ((compar\$4 or match\$4) near8 ((object		
		or instance or librar\$3 or pre-existing or		
		pre-stored or existing or reusable) near3	}	
		(name or symbol\$1 or file\$1))))) and		İ
		(@ad<=19991105 or @rlad<=19991105)		
-	11	((((initiali\$5 near3 librar\$3) saeme	USPAT;	2003/05/22 09:36
		linker) and (object adj4 (instance\$1 or	US-PGPUB;	
		template\$1))) and ((reusable same (object	EPO; JPO;	
		adj2 (file\$1 or module\$1 or link\$1 or	DERWENT;	
		name\$1 or instance\$1))) and (need\$2	IBM TDB	
		near4 (recreat\$4 or generat\$4)))) and		
		(@ad<=19991105 or @rlad<=19991105)		
_	5	(reus\$5 or link\$4) near3 ((existing or	USPAT;	2003/05/22 09:01
		pre-existing or pre-stored) adj2 (object	US-PGPUB;	2000,00,22 03.01
		adj2 (file or instance\$1 or symbol\$1)))	EPO; JPO;	
		aujz (1110 of instantour of symbolity)	DERWENT;	
			IBM TDB	
1_	2	((reusable same (object adj2 (file\$1 or	USPAT;	2003/05/22 09:02
		module\$1 or link\$1 or name\$1 or	US-PGPUB;	2003/03/22 03:02
		instance\$1))) and (need\$2 near4	EPO; JPO;	
		(recreat\$4 or generat\$4))) and ((no\$1 or	DERWENT;	
		without) adj2 ((need or have)adj2	IBM TDB	1
		(recreate or generat\$5 or rebuild\$3)))	1511_155	
	4	(((reus\$5 or link\$4) near3 ((existing or	USPAT;	2003/05/22 12:01
	4	pre-existing or pre-stored) adj2 (object	US-PGPUB;	2003/03/22 12:01
		adj2 (file or instance\$1 or symbol\$1))))	EPO; JPO;	
		or (((reusable same (object adj2 (file\$1	DERWENT;	
		or module\$1 or link\$1 or name\$1 or	IBM TDB	
		instance\$1))) and (need\$2 near4	100-100	
		(recreat\$4 or generat\$4))) and ((no\$1 or		
		without) adj2 ((need or have)adj2	1	
		(recreate or generat\$5 or rebuild\$3)))))		1
		and (@ad<=19991105 or @rlad<=19991105)		
1_	5	(selective\$5 near3 (reus\$4 or link\$4 or	USPAT;	2003/05/22 09:18
1 -	3	compil\$4)) and ((pre-existing or reusable	US-PGPUB;	2003/03/22 09.16
	1		EPO; JPO;	
		or prestored or (existing adj2 instance))		
		adj2 (librar\$3 or (object\$1 adj file)))	DERWENT;	
] _,	//www.sitow.om librow.v. sdi2 / sbis-t -di	IBM_TDB	2003/05/22 09:38
-	74	((repository or library) adj2 (object adj	USPAT;	2003/05/22 09:38
		(file\$1 or instance\$1 or template\$1)) and	US-PGPUB;	0.11
		(reus\$4 or link\$4))	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	2002/05/22 22 15
-	35	((linker or symbol) near2 (table or	USPAT;	2003/05/22 09:41
		object\$1 or name\$1)) near8 (hash adj	US-PGPUB;	
		table)	EPO; JPO;	i
			DERWENT;	
			IBM TDB	

-	2327	<pre>(((link\$4 same ((object adj2 (file\$1 or librar\$3)) or (symbol adj name\$1)))) or</pre>	USPAT; US-PGPUB;	2003/05/22 09:4	3
	'	(link\$3 and (((variable or space or	EPO; JPO;		
	'	symbol\$1) near3 initializ\$3) and	DERWENT;		
	!	(librar\$3 near8 object))) or ((compar\$4	IBM TDB		
		or match\$4) near8 ((object or instance or	1011-100		
		librar\$3 or pre-existing or pre-stored or			
		existing or reusable) near3 (name or			
		symbol\$1 or file\$1))) or (((initiali\$5			
		near3 librar\$3) saeme linker) and (object			
		adj4 (instance\$1 or template\$1)))) and			1
		(@ad<=19991105 or @rlad<=19991105)			
	,		HCDAT.	2003/05/22 09:4	2
_	4	1 '	USPAT;	2003/05/22 09:4	, S
		table\$1)) and (object same linker)	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
		///// 21 304 // // 340 / 513 61	IBM_TDB	0000 /05 /00 00 5	
-	14	((((((link\$4 same ((object adj2 (file\$1	USPAT;	2003/05/22 09:5)5
		or librar\$3)) or (symbol adj name\$1))))	US-PGPUB;	1	
İ		or (link\$3 and (((variable or space or	EPO; JPO;		
		symbol\$1) near3 initializ\$3) and	DERWENT;		
		(librar\$3 near8 object))) or ((compar\$4	IBM_TDB		
		or match\$4) near8 ((object or instance or			
		librar\$3 or pre-existing or pre-stored or			
		existing or reusable) near3 (name or			
		symbol\$1 or file\$1))) or (((initiali\$5			
		near3 librar\$3) saeme linker) and (object			
		adj4 (instance\$1 or template\$1)))) and			
		(@ad<=19991105 or @rlad<=19991105)) and (
		(((repository or library) adj2 (object			
		adj (file\$1 or instance\$1 or template\$1))			
İ		and (reus\$4 or link\$4))) or (((linker or			
ļ		symbol) near2 (table or object\$1 or			
		name\$1)) near8 (hash adj table)))) not	1		
		((US-6526565-\$ or US-6351848-\$ or			
		US-6298479-\$ or US-6230307-\$ or			
		US-5561800-\$ or US-5414854-\$ or			
ļ		US-6029207-\$ or US-5659751-\$ or			
ļ		US-6182279-\$ or US-6149318-\$ or			
ļ		US-5801942-\$ or US-5675756-\$ or			
ļ		US-5625822-\$ or US-5586330-\$ or			
ļ		US-5535392-\$ or US-5291601-\$ or			
ļ		US-6457174-\$ or US-6332168-\$ or			
ļ	ļ				
į		US-6112025-\$ or US-5943496-\$ or			
1		US-5867707-\$ or US-5822580-\$ or			
		US-5835701-\$ or US-5615400-\$ or			
1		US-5923880-\$ or US-6434742-\$).did. or			
ļ		(US-6308320-\$ or US-5680619-\$).did. or			
		(US-20020129329-\$ or US-20020032901-\$ or			
		US-20010054177-\$ or			
ļ		US-20020046400-\$).did.)) and (linker and			
		(object adj2 (file\$1 or module\$1 or			
		name\$1)))		ļ	